

## Hit List

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

**Search Results - Record(s) 1 through 1 of 1 returned.**

☐ 1. Document ID: US 6546008 B1

L8: Entry 1 of 1

File: USPT

Apr 8, 2003

US-PAT-NO: 6546008

DOCUMENT-IDENTIFIER: US 6546008 B1

TITLE: Method and configuration for providing performance features via a communications network

DATE-ISSUED: April 8, 2003

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Wehrend; Klaus	Eichenau			DE

US-CL-CURRENT: 370/384; 370/259, 370/271, 370/466, 370/904, 379/201.01, 455/414.1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Term	Documents
PCM	13769
PCMS	221
INTERFACE	393842
INTERFACES	111338
ROUTER	15036
ROUTERS	8116
TELEWORKING	25
TELEWORKINGS	0
(TELEWORKING AND (PCM ADJ INTERFACE) AND ROUTER).USPT.	1
((PCM ADJ INTERFACE) AND ROUTER AND TELEWORKING).USPT.	1

## Refine Search

### Search Results -

Term	Documents
PCM	13769
PCMS	221
LINE	1746293
LINES	1056219
UNIT	1118579
UNITS	580131
(17 AND (PCM ADJ LINE ADJ UNIT)).USPT.	0
(L17 AND (PCM ADJ LINE ADJ UNIT) ).USPT.	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L25

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Wednesday, April 07, 2004    [Printable Copy](#)    [Create Case](#)
**Set Name Query**

side by side

**Hit Count Set Name**

result set

*DB=USPT; PLUR=YES; OP=ADJ*

L25    117 and (PCM adj line adj unit)  
L24    116 and (PCM adj line adj unit)  
L23    L20 and (PCM adj interface)  
L22    L21 and (PCM adj interface)  
L21    L17 and DTMF  
L20    L16 and DTMF

0    L25  
 0    L24  
 1    L23  
 0    L22  
 15    L21  
 39    L20

<u>L19</u>	L16 and teleworking	0	<u>L19</u>
<u>L18</u>	L17 and teleworking	0	<u>L18</u>
<u>L17</u>	709/238.ccls.	937	<u>L17</u>
<u>L16</u>	370/526.ccls.	101	<u>L16</u>
<u>L15</u>	IGATE and (PCM adj interface)	0	<u>L15</u>
<u>L14</u>	IGATE and router and (PCM adj interface)and DMTF	0	<u>L14</u>
<u>L13</u>	L12 and IGATE	0	<u>L13</u>
<u>L12</u>	L8 and PCM	1	<u>L12</u>
<u>L11</u>	L8 and payload	0	<u>L11</u>
<u>L10</u>	L8 and PCM and payload	0	<u>L10</u>
<u>L9</u>	L8 and PCM and DTMF	0	<u>L9</u>
<u>L8</u>	(PCM adj interface) and router and teleworking	1	<u>L8</u>
<u>L7</u>	L4 and payload	0	<u>L7</u>
<u>L6</u>	L4 and PCM and LAN	0	<u>L6</u>
<u>L5</u>	L4 and (PCM adj interface)	0	<u>L5</u>
<u>L4</u>	arrangement and (optical adj display)	1908	<u>L4</u>
<u>L3</u>	L2 and optical adj display	0	<u>L3</u>
<u>L2</u>	(DTMF adj recognition) and (PCM adj interface)	4	<u>L2</u>
<u>L1</u>	DTMF adj recognition and PCM adj interface	4	<u>L1</u>

END OF SEARCH HISTORY